preserve

App F IX 4

Previous References (1937 ml)

File No 68—37
Serial Nos 50, 54

Letter References

GENERAL AND REVENUE SECRETARIAT

Serial Nos 2nn

Part B for mar h38

SUBJECT

Grant of a site to the Anjenengo Devi temple near the mouth of Thekkumbhagam Backwaters, for constructing building for the Archaka of the temple

(8/54) To the Md Comm B
the — Range
the — Forest —
the Govt Comm —

WD 0295—GPB—22 500—18 8 37

No L 8239

31 3 38

Serial No 58

From The Municipal Cmr. Mysore

no D.R 146/37-38 dt 4.3.38

Request — sanction to the resn of the MCC dated 25-1-1938 approving the grant of land — free of cost — measuring 40' × 38' to the Sri Anjaneyaswamy Temple near the Kuppuswamy Ophthalmic Hospital, for constructing a building for the archak of the said temple, subject to the conditions specified

1 Sanction is sought for to the resolution under sec 41(2) of the Mysore city Mcpal Act, 1933, the grant being free of cost

2 Subt for orders

3 The resolution of the Municipal Council may kindly be sanctioned

4/3/38

Henry L 5/3/

may be sanctioned

22/3/38

II member 23/3/38

NOTE—Contn Sheet

WD 0284—GPB—30 000—13 8 37

CONFIDENTIAL
22 MAR 1938
TOKYO

4248

Secl File No 68- of 1937 | General and Revenue Secretariat

6 & subt with a draft G.O. for appl

Secl 26.8.37 for

Secl 2 26/8/37

Secl Comr Bangalore City 57
by Comr Bangalore Dist.
Comptroller to Govt.
Secy Rev Dept
Secl 0049-52—2729-38
& sanctions the grant of
a Silk ~~dress~~ free of
cost.

B

4248

741

BANGALORE CITY MUNICIPALITY

MUNICIPAL OFFICES

No DR 146/37 38
Enc 1 Plan & Resn Copy

Bangalore 4-3- 1938

Del 6-8-37-50

From

S Narayana Rao, Esq , L A ,(Hons)
~~M.SESHADRI,ESQ.,M.A.~~

The MUNICIPAL COMMISSIONER
Bangalore City

To

P H Krishna Rao, Esq , M A ,
~~Chief~~ Secretary to the Government of
His Highness the Maharaja of Mysore
L S G Department, Bangalore

SIR

I have the honour to state that a small building, attached to the Sri Anjaneyaswami Temple near the Minto Opthalmic Hospital, Bangalore which was used as the " Archak's' quarters was demolished by the - Municipality by way of tidying up of the streets in the City so as to present a trim appearance in connection with the visit of the H E the Viceroy during 1933, and the Archak was asked to select a site elsewhere Accordingly, he selected a site in 11nd Cross Road Chamarajapet and applied for its grant, to enable him to put up a - structure thereon

The Council, at their meeting held on 15-1-1938, considered this request and resolved that the above land measuring 40' x 38' might be granted free of cost, to the temple subject to the condition that ~~xxx~~ the structure to be put up thereon would also become the property of the Temple A copy of the resolution and the s etch is enclosed herein

I request that sanction of Government may be kindly obtained to the resolution

I have the honour to be,

Sir,

Your most obedient servant,

S Narayana Rao

Municipal Commissioner

Forwarded with compliments

A Balasubramanyam

Honorary Private Secretary 5/3

Proceedings of the Ordinary General Meeting of the City Municipal Council, Bangalore, held on Saturday the 15th January 1938 at 12 Noon in the Council Chamber of the City Municipal offices, Bangalore

---

Present

P Subbarama Chetty, Esq ,
Honorary President

Councillors -

Messrs	Messrs
1 R Venkataswamy	12 K Gubbiah
2 N Balakrishniah	13 C M Garudachar
3 W H Hanumanthappa	14 P M Ramasarma
4 Belur Srinivasa Iyengar	15 M Krishnaswamy Pillay
5 D Rameswara Ba	16 S K Venkataranga Iyengar
6 S N A Razvi	17 S L Mannoji Rao
7 P Purushothama Naidu	18 O S Nasarulla Sheriff
8 D Venkataramanappa	19 B Abdur Rahiman
9 B L Byanna	20 Dr M Royan
10 M Munisamy	21 Mr P Murugesham Pillay
11 K Shamaraja Iyengar	22 Sri R Kalyanamma

Absent

Messrs	Messrs
1 K T Bashyam Iyengar	4 C N Narasinga Rao
2 Ramlal Thiwari	5 B S Shankarappa Setty
3 K M N ganna	6 M P Narasimha Iyengar

7 Mr M Abdul Majeed

---

31 Opinion of the City Improvement Committee meeting dated 22nd December 1937 that the land measuring 40' X 38' in 11 Cross road - Chamarajapet, be given to the temple of Anjaneyaswamy, opposite Linto Ophthalmic hospital for the purpose of putting up archaka's quarters subject to the conditionx that it will be resumed if it ceased to be used as such, without any compensation

Mr B L Byanna moved the opinion of the City Improvement Committee

Mr Belur Srinivasa Iyengar seconded it

Mr N Balakrishnaiah proposed an amendment that the structure that may be raised will also form property of the temple

Mr D Venkataramanappa seconded it

Mr K Shamaraja Iyengar opposed it

Then the amendment of Mr N Balakrishnaiah was put to vote and

P T O

carried 14 voting for and 3 against it

sd P Subbarama Chetty
Honorary President

Copy

S Varadarajan
Municipal Commissioner 5/3

PSK

4/5/38



M.L. ENGINEER
BANGALORE CITY M.L.Y

Basappa
SO
21/2/38

G R S App F VI—G 2]

SUBJECT abn

Diary No of letter replied to

General and Revenue Secretariat

( ) }
the *193* }

Date of issue 2-9-3 1938

Signed by

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette Kannada Part ?

Section Genl

File No 6 & 37

Serial No 654

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— Letter no D R 146/37-38 dt 4-3-1938 from the Commissioner Bangalore City requesting sanction to the resolution of the Commissioner dated 15-1-1938 approving the grant of land, free of cost, measuring 40'x38' in 11th Cross Road, Chamarajpet to the Sri Anjaneyaswami Temple near the Mental Ophthalmic Hospital, Bangalore City, for constructing a building for the

Order thereon —No

Attach of the said
temple subject- with
condition that the structure
to be put up thereon would
also become the property
of the temple

Order No L 8049-59 dt 29 3 38

Sanctioned -

9/26/1/-
Secretary to Govt -
L S. G. Dept

From

To

The Chief Secretary
Through the President
Bangalore City Municipality
The Dy Commr Bangalore Dist -
& Comptroller to Govt

List of Enclosure

Copied by

Examined by

WD 05-3—GPB—22 500—22 3-37